

www.saniten.ca

Performance

TECHNICAL DATA SHEET

N373 SHOWER CLEANER / HYDROPHILIC TREATMENT

Designed for the maintenance of ceramic, granite and Quartz showers. Cleans walls, doors, glass, showerheads and faucets. Prevents soap residues and minerals to stick on the surface and leave spots after drying.

PRODUCT CODE, SIZE & PACKAGING

Ready to use formula Code: N373-07 700ml with spray gun - 12 per case Code: N373-02 2 liters - 6 per case

Maintenance kit for Showers – Ceramic, Granite, Quartz & Glass Includes : 1 x 700ml ready to use spray-gun N373 SHOWER CLEANER / HYDROPHILIC TREATMENT 1 x 500ml N305 GROUT & TILE CLEANER

12 kits per case

Code: N373-10

DIRECTIONS

PREVENTION MEASURES

PERSONAL SAFETY

Wearing of gloves, safety glasses and appropriate clothing to prevent skin contact when using the product is always recommended.

Please follow safety guidelines outlined in the "CAUTION" section indicated on the bottle (see hereunder).

NEIGHBORING AREA PROTECTION

Always protect the neighboring working area against unexpected contact with the product to avoid irreversible damage or alterations that could only be restored by its replacement.

PREREQUISITE CONDITIONS

Surface temperature should be between 15 and 30°C (59 and 86°F). Ideal temperature for best results.

Test first on a small and adequate surface, to assess results. <u>- First time user, without preliminary testing.</u>

Never use the product for the first time on a large area without preliminary testing. Usage of the product on an alkaline sensitive material could alter irreversibly the covering material that would only be restored by its replacement.



RECOMMENDED SURFACES:

-Glass surfaces

-Ceramic & porcelain tiles

-Granite

-Quartz

-Chrome

-Stainless steel

-Glass tiles

-Shower walls and glass

-Residential, commercial and Institutional

CARACTERISTICS:

-Acidic formula -pH: 3.5 - 4 -No phosphates or ammonia -Dries quickly -Leaves no streaks -For routine cleaning

RESTRICTIONS:

-Will etch the surface of marble, travertine, cobblestone, limestone and calcareous stones.

testing. surfaces. Even if you have used the product in the past, because covering manufacturers do modify occasionally the composition of their products, there could be, without your knowledge, PERFORMANCE: presence of an incompatible substance that could be irreversibly damaged or altered or -Meets Cleaning give unexpected end results that would only be restored by its replacement. Performance test ASTM D4488-95-A5 More so, since the product is acid based, it can etch on contact any calcareous type surface such as: marble, cobblestone, travertine and other calcareous stones. Some of **ENVIRONMENTAL DATA:** those stones can be confused with some ceramic or porcelain tiles that imitate them -VOC: 0 extremely well. But the reaction with the cleaner will be very harmful in the case of -Biodegradable. In conformity calcareous natural stones. with OCDE 301 E rule COVERAGE Varies with the method of **METHOD OF APPLICATION** application and the surface condition. Surface preparation 1st time usage: -700ml should cover approx. Surface should be clean, dry and free of any soap residues and mildew. If needed, deep 300ft² clean the shower with GROUT & TILE CLEANER N305. Follow the instructions on the label or on the Technical Data Sheet for the level of dilution required. Rinse thoroughly and let dry before using SHOWER CLEANER / HYDROPHILIC TREATMENT N373. <u>Cleaning with the Ready to Use formula in a 700ml spray gun bottle.</u> Spray the cleaner on the surface straight from the bottle and spread out on all areas and/or to remove light dirt and soil with a white nylon scuff pad. Rinse with the shower head or wipe dry with a white paper towel. Allow 3 hours before using the shower. Afterwards, routine cleaning should be performed only with SHOWER CLEANER / HYDROPHILIC TREATMENT N373. **APPLICATION PROBLEMS** Whitish residue on the treated surface after drying: A whitish film may appear on the walls and glass after you cleaned the shower with SHOWER CLEANER / HYDROPHILIC TREATMENT N373. Main causes: - surface was not well rinsed, leaving excess residues of the hydrophilic treatment or -surface was not wiped dry with a white paper towel, leaving excess residues of the hydrophilic treatment Corrective measures: - rinse thoroughly the surface with hot water and scrub with a white or black nylon scuff pad. Please note that with time, the hydrophilic treatment excess residues will fade away and disappear after a number of showers. CAUTIONS **HANDLING & STORAGE** MAY IRRITATE EYES Avoid freezing. Do not get in eyes. Do not get on Store in original container, well closed, skin or clothing. Keep out of in a dry area at room temperature. reach of children. Do not waist excess sealer in sewers. **FIRST AID TREATMENT** Send them to an appropriate recycling center. Contains an aqueous polymer. Shelf life: 2 years in a tight closed container If swallowed, call a Poison at a temperature between 10 and 30°C (50 and 86°F). Control Centre or doctor immediately. Do not induce vomiting. If in eyes, rinse with water for 20 minutes with eye lids open. If on skin, rinse well with water.

- Using the product on a new surface or on an unknown surface, without preliminary

-May unpolish acrylic

TECHNICAL SUPPORT Communicate at info@saniten.ca or call 1-866-517-7662.	
N.B. All information here above is accurate. But having no control over the conditions of utilization of the product, we cannot assume any responsibility, legal or other, in regards of the results and/or any prejudice derived from.	Revised January 2017